

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Corrosive to Metals (Category 1), H290 Skin corrosion (Sub-category 1A), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

Millipore- 1.00732

Page 1 of 12



2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram			
Signal Word	Danger		
Hazard statement(s) H290 H314	May be corrosive to metals. Causes severe skin burns and eye damage.		
Precautionary statement(s P234 P280) Keep only in original packaging. Wear protective gloves/ protective clothing/ eye protection/ face protection.		
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.		
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P363	Wash contaminated clothing before reuse.		
Supplemental Hazard Statements	none		

Reduced Labeling (<= 125 ml)

Pictogram	
Signal Word	Danger
Hazard statement(s) H314	Causes severe skin burns and eye damage.
Precautionary statement(s) P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P363	Wash contaminated clothing before reuse.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Millipore- 1.00732

Page 2 of 12



SECTION 3: Composition/information on ingredients

3.1 Substances Formula : H2SO4 CAS-No. : 7664-93-9

EC-No.	: 231-639-5	
Index-No.	: 016-020-00-8	

Component		Classification	Concentration
sulphuric acid			
CAS-No. EC-No. Index-No.	7664-93-9 231-639-5 016-020-00-8	Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1; H290, H314, H318 Concentration limits: >= 15 %: Skin Corr. 1A, H314; 5 - < 15 %: Skin Irrit. 2, H315; 5 - < 15 %: Eye Irrit. 2, H319; >= 0,3 %: Met. Corr. 1, H290;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Millipore- 1.00732





SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Sulfur oxides Not combustible. Fire may cause evolution of: Sulfur oxides Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions No metal containers. Tightly closed.

Recommended storage temperature see product label.

Storage class

Millipore- 1.00732

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 4 of 12



Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Derived No Effect Level (DNEL)

Application Area	Routes of	Health effect	Value
	exposure		
Workers	Inhalation	Acute local effects	0,1 mg/m3
Workers	Inhalation	Long-term local effects	0,05 mg/m3

Predicted No Effect Concentration (PNEC)

Compartment	Value
Sea water	0,00025 mg/l
Fresh water	0,0025 mg/l
Sea sediment	0,002 mg/kg
Fresh water sediment	0,002 mg/kg
Onsite sewage treatment plant	8,8 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Viton® Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 120 min Material tested:Butoject® (KCL 898)

Millipore- 1.00732

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 5 of $12\,$



Body Protection

Acid-resistant protective clothing

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

a)	Physical state	liquid
b)	Color	colorless
c)	Odor	odorless
d)	Melting point/freezing point	Melting point: -20 °C
e)	Initial boiling point and boiling range	No data available
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	Not applicable
i)	Autoignition temperature	No data available
j)	Decomposition temperature	No data available
k)	рН	0,3 at 49 g/l at 25 °C
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: ca.24 mPa.s at 20 °C
m)	Water solubility	at 20 °C soluble, (caution ! development of heat)
n)	Partition coefficient: n-octanol/water	No data available
o)	Vapor pressure	ca.0,0001 hPa at 20 °C
p)	Density	1,84 g/cm3 at 20 °C

Millipore- 1.00732

Page 6 of 12



Relative density No data available

- q) Relative vapor No data available density
- r) Particle No data available characteristics
- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties Oxidizing potential

9.2 Other safety information

Bulk density	Not applicable
Relative vapor density	ca.3,4

SECTION 10: Stability and reactivity

10.1 Reactivity

has a corrosive effect strong oxidising agent

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances: Alkali metals alkali compounds Ammonia Aldehydes acetonitrile Alkaline earth metals alkalines Acids alkaline earth compounds Metals metal alloys Oxides of phosphorus phosphorus hydrides halogen-halogen compounds oxyhalogenic compounds permanganates nitrates Carbides combustible substances organic solvent acetylidene Nitriles organic nitro compounds anilines Peroxides picrates

Millipore- 1.00732

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 12



nitrides lithium silicide iron(III) compounds bromates chlorates Amines perchlorates hydrogen peroxide

10.4 Conditions to avoid

no information available

10.5 Incompatible materials animal/vegetable tissues, MetalsContact with metals liberates hydrogen gas.

10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 2.140 mg/kg LD50 Oral - Rat - male and female - 2.140 mg/kg (sulphuric acid) Remarks: (ECHA) Inhalation: Corrosive to respiratory system. (sulphuric acid) Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit (sulphuric acid) Result: Extremely corrosive and destructive to tissue. Remarks: (IUCLID)

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Respiratory or skin sensitization No data available

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Result: negative Remarks: (HSDB) Test Type: Ames test (sulphuric acid) Test system: Salmonella typhimurium Result: negative Remarks: (HSDB)

Carcinogenicity

No data available

Reproductive toxicity No data available

Specific target organ toxicity - single exposure

Millipore- 1.00732

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 8 of 12



No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Pulmonary edema. Effects may be delayed. (sulphuric acid)

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. (sulphuric acid)

After inhalation of aerosols: damage to the affected mucous membranes. After skin contact: severe burns with formation of scabs. After eye contact: burns, corneal lesions. After swallowing: severe pain (risk of perforation!), nausea, vomiting and diarrhoea. After a latency period of several weeks possibly pyloric stenosis.

(sulphuric acid)

Other dangerous properties can not be excluded.

(sulphuric acid)

Handle in accordance with good industrial hygiene and safety practice. (sulphuric acid)

(OECD Test Guideline 201)

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to daphnia	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h
and other aquatic	(sulphuric acid)
invertebrates	(OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - > 100 mg/l - 72 h (sulphuric acid)

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil

No data available

Millipore- 1.00732

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 9 of 12

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties <u>Product:</u>

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Biological effects: Harmful effect due to pH shift. Caustic even in diluted form. Does not cause biological oxygen deficit. Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities. Neutralisation possible in waste water treatment plants. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECT	SECTION 14: Transport information				
14.1	UN numb ADR/RID:	•-	IMDG: 1830	IATA: 1830	
14.2	ADR/RID: IMDG:	r shipping name SULPHURIC ACID SULPHURIC ACID Sulphuric acid			
14.3	Transport ADR/RID:	t hazard class(es 8	S) IMDG: 8	IATA: 8	
14.4	Packagin ADR/RID:		IMDG: II	IATA: II	
14.5	Environm ADR/RID:	no no	IMDG Marine pollutant: no	IATA: no	
14.6		recautions for us striction code :	er (E)		
	Further in	formation :	No data available		

Millipore- 1.00732

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 12

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

Regulation (EU) 2019/1148 on the marketing : sulphuric acid and use of explosives precursors

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H315 May be corrosive to metals.
- H318 Causes severe skin burns and eye damage.
- H319 Causes skin irritation.

Millipore- 1.00732

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 11 of 12

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.00732

Page 12 of 12



